



## NITROGEN TANK 16 BAR

### Dimensions

Length(mm).....: 2991                      Width(mm).....: 2438                      Height(mm).....: 2591  
Weight - Tara (kg).....: 5600                      Weight - Payload (kg).....: 6400                      Weight - Gross (kg).....: 12000  
Lifting/ Transportation.....: Frame with forklift channels and lifting slings are certified in acc. to DNV 2.7.1.  
Certificate(s) / Serial No:.....: 23464 - 0700873 (Serial no. frame: NT-59)

### Construction year

Built.....: 2007

### Area of use / certification

Onshore/offshore.....: Offshore

### Flow / Pressure / Volume

Tank Volume (ltr).....: 8000  
P-max (bar).....: 16  
P-max Transport (bar).....: 2  
Vaporization.....: Approx. 0,6% of total volume/day

### Connections

Inlet connection.....: ACME NI 150  
Outlet connection.....: ACME NI 150

### Filter

Inlet Filter house.....: Washable strainer

### Additional information

Equipment / Functions.....: TANK SHALL NOT BE FILLED MORE THAN 95% (7600 ltr)  
  
Double set of safety valves, transport valve, drip pan under valve armatures, manometer and level gauge.  
  
To avoid condensation/icing, the tank must always be pressurised.  
  
Inlet Connection LN2 behind.